Region 3 GPRA Baseline RCRA Corrective Action Facility

Westvaco Corp.

John Hopkins Road Laurel, MD 20810 Congressional District 7 EPA ID #: MDD048005839 Last Updated 12/31/2003

Current Progress at the Site

This facility is one of EPA Region III's high priority RCRA corrective action sites. An Environmental Indicator (EI) inspection was conducted at facility in June, 2001. Based on the results of the inspection it was decided that additional groundwater data was needed to better characterize groundwater conditions at the site.

The company conducted groundwater sampling at the facility in March 2002 in accordance with an approved work plan. In October 2002, Westvaco provided a final Investigation Report to EPA. Based on the results of the investigation, EPA made a preliminary decision that no further action is warranted at this facility at this time. EPA provided a public notice on November 15, 2002 stating their no further action decision. The comment period for this public notice ended on December 30, 2002. No comments were received and a final no further action determination was rendered.

Site Responsibility

RCRA Corrective Action activities at this facility are being conducted under the direction of EPA Region 3 with assistance from the State.

Government Contact

EPA Project Manager Mr. William Wentworth - 3WC23 U.S. Environmental Protection Agency - Region III 1650 Arch Street Philadelphia, PA 19103-2029

Philadelphia, PA 19103-2029 Phone: (215) 814-3184

Email: wentworth.william@epa.gov

Baruch Onyekwelu Maryland Department of the Environment 2500 Broening Highway Baltimore, Maryland 21224 Phone: (410) 631-3355

Email: bonyekwelu@mde.state.md.us

Facility Contact

Ronald Brown, Ph.D. Research Director 11101 John Hopkins Road Laurel, MD 20723 Phone: (301)497-1301 Email: grbrown@westvaco.com

For more information about EPA's corrective action webpage, including Environmental Indicators, please visit our site at: www.epa.gov/reg3wcmd/correctiveaction.htm